2016 FORD FOCUS TECHNICAL SPECIFICATIONS

BODY	TECHNICAL SELONIC			
	T.,			
Construction	,	Unitized steel body		
Final assembly location	Michigan Assembly Plant, Wayne, Mich	Michigan Assembly Plant, Wayne, Michigan		
POWERTRAIN AND CHASS	SIS			
ENGINE				
Туре	1.0-liter turbocharged EcoBoost [®] three-cylinder	2.0-liter Ti-VCT FFV I-4		
Manufacturing location	Craiova, Romania	Dearborn, Michigan		
Configuration	Cast-iron block and aluminum head	Aluminum block and cylinder head		
Valvetrain	DOHC, four valves per cylinder	DOHC, four valves per cylinder, twin independent variable camshaft timing		
Bore x stroke	2.83 x 3.22 in.	3.44 x 3.27 in.		
Displacement	61.0 cu. in.	122.0 cu. in. (1,999 cc)		
Compression ratio	10.0:1	12.0:1		
Horsepower	123 @ 6,000 rpm	160 @ 6,500 rpm		
Torque	125 lbft. @ 3,500 rpm	146 lbft. @ 4,450 rpm		
Fuel	87 octane (recommended)	87 octane (recommended)		
Fuel capacity	12.4 gallons	12.4 gallons		
Fuel delivery	Direct gasoline injection	Direct gasoline injection		
Oil capacity	4.3 quarts with filter	4.6 quarts with filter (GF4 5w20)		
Emissions control	Three-way catalyst	Three-way catalyst		
Federal emissions (tailpipe/evaporation)	Tier 2, Bin 4/LEV II	Tier 2, Bin 4/LEV II		
California emissions states (tailpipe/evaporation)	SULEV/PZEV	SULEV/PZEV		
DRIVETRAIN	,			
Layout	Front-wheel drive	Front-wheel drive		
TRANSMISSION				
Standard	Six-speed manual	Five-speed manual		
Gear ratios	,			
1st	3.73:1	3.42:1		
2nd	2.05:1	2.14:1		
3rd	1.36:1	1.45:1		
4th	1.03:1	1.03:1		
5th	0.82:1	0.8:1		
6th	0.69:1	n/a		
Reverse	3.82:1	3.421:1		
Final drive	4.06:1	3.82:1		

2016 FORD FOCUS TECHNICAL SPECIFICATIONS

Optional	Six-speed automatic with SelectShift®	Six-speed PowerShift automatic	
Gear ratios			
1st	4.182:1	4.182:1	
2nd	2.318:1	2.318:1	
3rd	1.35:1	1.35:1	
4th	0.959:1	0.959:1	
5th	0.804:1	0.804:1	
6th	0.653:1	0.653:1	
Reverse	3.348:1	3.348:1	
Final drive	4.06:1	3.85:1	
SUSPENSION			
Front	Independent MacPherson strut with 23.5-mm stabilizer bar		
Rear	Control Blade™ multilink independent with 19.0-mm stabilizer bar		
STEERING			
Туре	Rack-and-pinion, electric power-assisted		
Radius	18.0:1		
Turns, lock-to-lock	2.6		
Turning circle, curb-to-curb	36 ft.		
BRAKES			
Туре	Power-assisted front discs, rear drums with four-sensor, four-channel antilock braking and AdvanceTrac® electronic stability control; power-assisted four-wheel discs with four-sensor, four-channel antilock braking and AdvanceTrac electronic stability control on Titanium, SE Luxury Package, SE EcoBoost Appearance Package, SE Sport Package		
Front	10.9-in. vented discs		
Rear	8.97-in. drums or 10.7-in. solid discs		
TIRES AND WHEELS			
S	15-in. steel with silver painted cover, 195/65R15 all-season BSW		
SE	16-in. painted aluminum, 215/55R16 all-season BSW		
SE EcoBoost Appearance Package	16-in. machined-aluminum with dark painted pockets		
SE Sport Package	17-in. machined-aluminum with black painted pockets, 215/50R17 all-season BSW		
SE Luxury Package, available on SE EcoBoost Appearance Package	17-in. black gloss aluminum, 215/50R17 all-season BSW		
Titanium	17-in. painted aluminum, 215/50R17 BSW		
Titanium Handling Package	18-in. premium painted aluminum, 235/40R18 BSW		

2016 FORD FOCUS TECHNICAL SPECIFICATIONS

DIMENSIONS (inches unless otherwise noted)				
	Four-door sedan	Four-door hatchback		
EXTERIOR				
Wheelbase	104.3	104.3		
Length	178.7	171.7		
Width, excluding mirrors	71.8	71.8		
Height	57.8	57.8		
Track, front, rear	61.2, 60.4	61.2, 60.4		
INTERIOR				
Seating capacity	Five	Five		
Front headroom	38.3	38.3		
Front legroom, maximum	43.1	43.1		
Front shoulder room	55.6	55.6		
Front hip room	53.9	53.9		
Rear headroom	38.0	38.0		
Rear legroom	33.2	33.2		
Rear shoulder room	52.6	52.6		
Rear hip room	52.8	52.8		
WEIGHTS AND CAPACITIES	5			
Cargo volume (cu. ft.)	13.2 trunk	23.3 behind second row, 43.9 behind first row		
Maximum towing capacity	Not recommended	Not recommended		
BASE CURB WEIGHT				
Manual transmission	2,960 lbs.	2,948 lbs.		
Automatic transmission	2,988 lbs.	2,976 lbs.		
SelectShift Automatic	2,960 lbs. SE, 3,055 lbs. Titanium	2,948 lbs. SE, 3,043 lbs. Titanium		
FUEL ECONOMY				
2.0-liter, five-speed manual	26 mpg city, 36 mpg highway, 30 mpg combined			
2.0-liter, six-speed PowerShift automatic	27 mpg city, 40 mpg highway, 31 mpg combined			
2.0-liter, six-speed PowerShift automatic with SelectShift	26 mpg city, 38 mpg highway, 30 mpg combined			
1.0-liter, six-speed manual	30 mpg city, 42 mpg highway, 35 mpg combined			
1.0-liter, six-speed PowerShift automatic with SelectShift	28 mpg city, 40 mpg highway, 32 mpg combined			

For editorial use only. Information correct at time of publication. Check <u>media.ford.com</u> for updates.