

TECHNICAL SPECIFICATIONS



MODEL	Select	Premium	California Route 1	GT and GT Performance Edition	Mach-E Ice White Edition (Premium Model only)
Batteries & Range ¹ : SR (standard range battery) ER (extended range battery) Usable Capacity kWh	(SR) RWD (70 kWh): EPA-Estimated Range 247 miles Standard Range (SR) eAWD (70 kWh): EPA-Estimated Range 224 miles	(SR) RWD (70 kWh): EPA-Estimated Range 247 miles (SR) eAWD (70 kWh): EPA-Estimated Range 224 miles (ER) RWD (91 kWh): EPA-Estimated Range 303 miles (ER) eAWD (91 kWh): EPA-Estimated Range 277 miles	(ER) RWD (91 kWh): EPA-Estimated Range: 314 (ER) eAWD (91 kWh): EPA-Estimated Range: 312	(ER) eAWD (91 kWh): - GT EPA-Estimated Range 270 miles - GT Performance Edition EPA-Estimated Range 260 miles	(SR) RWD (70 kWh): EPA-Estimated Range 247 miles (SR) eAWD (70 kWh): EPA-Estimated Range 224 miles (ER) RWD (91 kWh): EPA-Estimated Range 303 miles (ER) eAWD (91 kWh): EPA-Estimated Range 277 miles
Performance 0-60 mph ²	SR RWD: 0-60 in 5.8 seconds SR eAWD: 0-60 in 5.2 seconds	SR RWD: 0-60 in 5.8 seconds SR eAWD: 0-60 in 5.2 seconds ER RWD: 0-60 in 6.1 seconds ER eAWD: 0-60 in 4.8 seconds	ER RWD: 0-60 in 6.1 seconds ER eAWD: 0-60 in 4.8 seconds	GT: 0-60 in 3.8 seconds GT Performance Edition: 0-60 in 3.5 seconds	SR RWD: 0-60 in 5.8 seconds SR eAWD: 0-60 in 5.2 seconds ER RWD: 0-60 in 6.1 seconds ER eAWD: 0-60 in 4.8 seconds
Wheels	18" Carbonized Gray-Painted Aluminum (std) 19" Shadow Silver-Painted Aluminum with High Gloss Black-Painted Aero Cover (opt)	19" Machined-face Aluminum with High Gloss Black-Painted pockets (std)	18" High Gloss Black-Painted Aluminum with Low Gloss Black Aero Cover (std)	- 20" Machined-Face Aluminum with High Gloss Black-Painted Pockets and Aero Cover (std) - 20" Machined-Face Aluminum Wheels with EbonyHigh Gloss Ebony Black-Painted Pockets Wheels (opt)	19" Machined-Face Aluminum Wheels with Oxford White-Painted pockets (std)
Peak Power [HP/kW] ³	SR RWD & eAWD 266 HP/198 kW	SR RWD & eAWD 266 HP/198 kW ER RWD 290 HP/216 kW ER eAWD 346 HP/258 kW	ER RWD 290 HP/216 kW ER eAWD 346 HP/258kW	GT & GTPE: 480 HP/358 kW	SR RWD & eAWD 266 HP/198 kW ER RWD 290 HP/216 kW ER eAWD 346 HP/258 kW
Peak Torque	SR RWD 317 lb.-ft. SR eAWD 428 lb.-ft.	SR/ER RWD 317 lb.-ft. SR/ER eAWD 428 lb.-ft.	ER RWD 317 lb.-ft. ER eAWD 428 lb.-ft.	GT: 600 lb.-ft GTPE: 634 lb.-ft	SR/ER RWD 317 lb.-ft. SR/ER eAWD 428 lb.-ft.
Powertrain	RWD or eAWD	RWD or eAWD	RWD or eAWD	eAWD	RWD or eAWD
Seating	5	5	5	5	5
Exterior Features	LED Signature Lights and Sequential Rear Turn Signals, LED Reflector Headlights with Auto High Beam, Side-door E-Latch, Body Color Painted Sideview Mirror Caps	LED Projector Headlamps with Auto High Beam, Power Liftgate, Panoramic Fixed-Glass Roof, Pony Projection Lamps, Black-Painted Sideview Mirror Caps	Unique Exterior Design Elements – CA1 Badging, Panoramic Fixed-Glass Roof, Pony Projection Lamps, Black-Painted Sideview Mirror Caps, Wheelip Moldings	Unique Exterior Design Elements - GT badging, Red Painted Brake Calipers, Power Liftgate, Pony Projection Lamps, Black-Painted Sideview Mirror Caps, Black-Painted Roof	Premium content plus: – Star White Metallic Tri-Coat Paint – Star White Metallic Tri-Coat Exterior Sideview Mirror Caps – Star White-Painted Wheelip Moldings – Unique Oxford White Front Door Badging – Unique Oxford White Pony Badges (front/rear)
Interior Features	Wireless Phone Charging Pad, Open cockpit and console design, Three (3) Selectable Drive Modes and One Pedal Driving Mode, SiriusXM Radio with 360L, Rotary gear shift dial, 10.2" digital cluster screen, Frunk and Cargo area adjustable load floor with storage underneath	Unique Interior Design Elements – Ambient Lighting (Multi Colored), Heated first row seats & steering wheel, Memory Driver seats/mirror, Power folding mirrors, B&O Sound System by Bang & Olufsen with 10-Speakers	Memory Driver Seat/Mirror, Power Folding Mirrors, Cargo Area Cover, Open cockpit and console design, Three (3) Selectable Drive Modes and One Pedal Driving Mode, SiriusXM Radio with 360L, Rotary gear shift dial, 10.2" digital cluster screen, Frunk and Cargo area adjustable load floor with storage underneath, heated front row seats and heated steering wheel	Multi-Color Ambient Lighting, Front Door Scuff Plates with Metal Inserts with Pony Graphic and GT Lettering, Aluminum Applique Instrument Panel GT: Sport Style Seats with ActiveX™ Seating Material with Miko® Insert and Copper Metallic Stitching GTPE: Ford Performance Front Seats with Performance Gray ActiveX Seating Material with Unique Miko Perforated Reflective Insert and Metallic Stitch	Premium content plus: – Gloss White Instrument Panel Applique – Light Space Gray Door Armrests – Light Space Gray Dual Center Armrest – Light Space Gray Perforated ActiveX(TM) Seating Material – Steering Wheel – White Pony Emblem
Connected Vehicle	FordPass Connect™, SYNC® 4A with Built-in Connected Navigation, Phone as a Key (PaaK), 10.2" Digital Cluster and 15.5" Touchscreen	FordPass Connect™, SYNC® 4A with Built-in Connected Navigation, Phone as a Key (PaaK), 10.2" Digital Cluster and 15.5" Touchscreen	FordPass Connect™, SYNC® 4A with Built-in Connected Navigation, Phone as a Key (PaaK), 10.2" Digital Cluster and 15.5" Touchscreen	FordPass Connect™, SYNC® 4A with Built-in Connected Navigation, Phone as a Key (PaaK), 10.2" Digital Cluster and 15.5" Touchscreen	FordPass Connect™, SYNC® 4A with Built-in Connected Navigation, Phone as a Key (PaaK), 10.2" Digital Cluster and 15.5" Touchscreen
DAT	Ford Co-Pilot360™ 2.0: Reverse Brake Assist, Rear Parking Sensors, Post-Impact Braking, BLIS (Blind Spot Information System) with Cross Traffic Alert, Pre-Collision Assist with AEB, Lane Keeping System with Blind Spot Assist and Road Edge Detection, Rear Camera, Auto High Beams Ford Co-Pilot360™ Assist 2.0: Intelligent Adaptive Cruise Control with Stop & Go, Lane Centering Assist and Speed Sign Recognition. Evasive Steering Assist. Built-in Connected Navigation Ford Co-Pilot360™ Active 2.0 Package - Active Park Assist 2.0 - BlueCruise (hands-free driving) Included in the optional Comfort/Technology Package	360-Degree Camera with Split View and Front Washer Ford Co-Pilot360™ Active 2.0 Package - Active Park Assist 2.0 - BlueCruise (hands-free driving) Ford Co-Pilot360™ 2.0: Reverse Brake Assist, Reverse Sensing System, Post-Impact Braking, BLIS (Blind Spot Information System) with Cross Traffic Alert, Pre-Collision Assist with AEB, Lane Keeping System with Blind Spot Assist and Road Edge Detection, Rear Camera, Auto High Beams Ford Co-Pilot360™ Assist 2.0: Intelligent Adaptive Cruise Control with Stop & Go, Lane Centering Assist and Speed Sign Recognition. Evasive Steering Assist. Built-in Connected Navigation	360-Degree Camera with Split View and Front Washer Ford Co-Pilot360™ Active 2.0 Package - Active Park Assist 2.0. - BlueCruise (hands-free driving) Ford Co-Pilot360™ 2.0: Reverse Brake Assist, Rear Parking Sensors, Post-Impact Braking, BLIS (Blind Spot Information System) with Cross Traffic Alert, Pre-Collision Assist with AEB, Lane Keeping System with Blind Spot Assist and Road Edge Detection, Rear Camera, Auto High Beams Ford Co-Pilot360™ Assist 2.0: Intelligent Adaptive Cruise Control with Stop & Go, Lane Centering Assist and Speed Sign Recognition. Evasive Steering Assist. Built-in Connected Navigation	Ford Co-Pilot360™ 2.0: Reverse Brake Assist, Rear Parking Sensors, Post-Impact Braking, BLIS (Blind Spot Information System) with Cross Traffic Alert, Pre-Collision Assist with AEB, Lane Keeping System with Blind Spot Assist and Road Edge Detection, Rear Camera, Auto High Beams Ford Co-Pilot360™ Assist 2.0: Intelligent Adaptive Cruise Control with Stop & Go, Lane Centering Assist and Speed Sign Recognition. Evasive Steering Assist. Built-in Connected Navigation (Optional) Ford Co-Pilot360™ Active 2.0 Package: 360-Degree Camera with Split View and Front Washer - Active Park Assist 2.0 - BlueCruise (hands-free driving)	360-Degree Camera with Split View and Front Washer Ford Co-Pilot360™ Active 2.0 Package - Active Park Assist 2.0 - BlueCruise (hands-free driving) Ford Co-Pilot360™ 2.0: Reverse Brake Assist, Reverse Sensing System, Post-Impact Braking, BLIS (Blind Spot Information System) with Cross Traffic Alert, Pre-Collision Assist with AEB, Lane Keeping System with Blind Spot Assist and Road Edge Detection, Rear Camera, Auto High Beams Ford Co-Pilot360™ Assist 2.0: Intelligent Adaptive Cruise Control with Stop & Go, Lane Centering Assist and Speed Sign Recognition. Evasive Steering Assist. Built-in Connected Navigation

¹Based on full charge. Actual range varies with conditions such as external environment, vehicle use, vehicle maintenance, lithium ion battery age and state of health. ²Ford test data based on typical industry methodology using 1-ft rollout. Your results may vary. ³Calculated via peak performance of the electric motor(s) at peak battery power. Horsepower and torque are independent attributes and may not be achieved simultaneously. ⁴BlueCruise is a hands-free highway driving feature.



	Select	Premium	California Route 1	GT and GT Performance Edition	Premium Ice White Appearance Package
Charging Solutions ⁵	Ford Mobile Power Cord - Up to 115kW DC Fast Charge Capability - Switchable cord end to allow customer charge functionality with 120V(NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps - Access to Ford BlueOval™ Charge Network	Ford Mobile Power Cord - Up to 150kW DC Fast Charge Capability - Switchable cord end to allow customer charge functionality with 120V(NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps - Access to Ford BlueOval™ Charge Network	Ford Mobile Power Cord - Up to 150kW DC Fast Charge Capability - Switchable cord end to allow customer charge functionality with 120V(NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps - Access to Ford BlueOval™ Charge Network	Ford Mobile Power Cord - Up to 150kW DC Fast Charge Capability - Switchable cord end to allow customer charge functionality with 120V(NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps - Access to Ford BlueOval™ Charge Network	Ford Mobile Power Cord - Up to 150kW DC Fast Charge Capability - Switchable cord end to allow customer charge functionality with 120V(NEMA 5-15) up to 15 Amps or 240V (NEMA 14-50) up to 32 Amps - Access to Ford BlueOval™ Charge Network
Cargo Space ⁶	Cargo Space (Behind Rear Seat): 29.7 cu. ft./822 liters Cargo Space (Behind First Row): 59.7 cu. ft./1689 liters Frunk: 4.7 cu. ft./139.5 liters	Cargo Space (Behind Rear Seat): 29.7 cu. ft./822 liters, Cargo Space (Behind First Row): 59.7 cu. ft./1689 liters, Frunk: 4.7 cu. ft./139.5 liters	Cargo Space (Behind Rear Seat): 29.7 cu. ft./822 liters, Cargo Space (Behind First Row): 59.7 cu. ft./1689 liters, Frunk: 4.7 cu. ft./139.5 liters	Extended battery: Cargo Space (Behind Rear Seat): 26.6 cu. ft./822 liters, GT: Cargo Space (Behind First Row): 54.7 cu. ft./1689 liters, Frunk: 4.7 cu. ft./139.5 liters GTPE: Cargo Space (Behind First Row): 59.5 cu. ft./1685 liters	Cargo Space (Behind Rear Seat): 29.7 cu. ft./822 liters, Cargo Space (Behind First Row): 59.7 cu. ft./1689 liters, Frunk: 4.7 cu. ft./139.5 liters
Safety & Security	AdvanceTrac® Advanced Security Pack: Includes SecuriLock® Passive Anti-Theft System (PATS) and Inclination/Intrusion Sensors, Airbags: Driver and Front Row Passenger Dual-Stage, Airbags: Driver Knee, Airbags: Side Airbags/Air Curtains (1st/2nd Row), Auto-Dimming Rearview Mirror, Center High-Mounted Stop Lamp (CHMSL), Door Locks: Autolock/Autounlock, Door Locks: Child-Safety Rear, Electronic Stability Control, Electronic Traction Control, Headlamps: Courtesy Delay, Headlamps: Wiper-Activated, Head Restraints: Two-Way Manually Adjustable Driver and Front-Passenger, Head Restraints: Two-Way Manually Adjustable Second Row (Center Head Restraint only; Outboard are fixed position), Hooks: Cargo Tie-Down – Two (2), Individual Tire Pressure Monitoring System (iTMS), LATCH (Lower Anchors and Tether Anchors for Children) on Rear Outboard Seat Positions, Mirrors, Sideview: Heated Power Glass, LED Turn Signals, MyKey® Gen 2, Rear-Window Defroster and Washer, Safety Belts: Three-Point Safety Belts on all (5) Seating Positions, Front Row Height Adjustable, Safety Belts: Front and Second Row – Belt-Minder® (Safety Belt Reminder), Audible Vehicle Alert System (Alerts Pedestrians)				

CHASSIS/SUSPENSION

Body	Unitized mixed metal/composite	Unitized mixed metal/composite	Unitized mixed metal/composite	Unitized mixed metal/composite	Unitized mixed metal/composite
Front suspension	Independent Macpherson strut with hollow stabilizer bar	Independent Macpherson strut with hollow stabilizer bar	Independent Macpherson strut with hollow stabilizer bar	Independent Macpherson strut with hollow stabilizer bar	Independent Macpherson strut with hollow stabilizer bar
Rear suspension	Independent multilink with hollow stabilizer bar	Independent multilink with hollow stabilizer bar	Independent multilink with hollow stabilizer bar	Independent multilink with hollow stabilizer bar	Independent multilink with hollow stabilizer bar

STEERING

Type	Electric assist	Electric assist	Electric assist	Electric assist	Electric assist
Steering ratio	14.6	14.6	14.6	14.6	14.6

BRAKES

Front Rotor (mm)/Caliper	Ventilated disc 362mm/4 piston fixed	Ventilated disc 362mm/4 piston fixed	Ventilated disc 362mm/4 piston fixed	GT: Ventilated disc 362mm/4 piston fixed GTPE: 385mm/4 piston fixed	Ventilated disc 362mm/4 piston fixed
Rear Rotor (mm)/Caliper	Solid disc 316mm/1 piston sliding	Solid disc 316mm/1 piston sliding	Solid disc 316mm/1 piston sliding	Solid disc 316mm/1 piston sliding	Solid disc 316mm/1 piston sliding

BATTERY SYSTEM

Cells	(SR) 288 Li Ion cells	(ER) 376 Li Ion cells (SR) 288 Li Ion cells	(ER) 376 Li Ion cells	(ER) 376 Li Ion cells	(ER) 376 Li Ion cells (SR) 288 Li Ion cells
Usable Capacity (kWh)	SR: 70	SR/ER: 70/91	ER: 91	ER: 91	SR/ER: 70/91
Base Vehicle Warranty	3 years/36,000 bumper to bumper warranty	3 years/36,000 bumper to bumper warranty	3 years/36,000 bumper to bumper warranty	3 years/36,000 bumper to bumper warranty	3 years/36,000 bumper to bumper warranty
Warranty	Electric Unique Components 8 years/ 100,000 warranty ⁷	Electric Unique Components 8 years/ 100,000 warranty ⁷	Electric Unique Components 8 years/ 100,000 warranty ⁷	Electric Unique Components 8 years/ 100,000 warranty ⁷	Electric Unique Components 8 years/ 100,000 warranty ⁷

⁵Range and charge time based on manufacturer computer engineering simulations and EPA-estimated range calculation methodology. The charging rate decreases as battery reaches full capacity. Your results may vary based on peak charging times and battery state of charge. Actual vehicle range varies with conditions such as external environment, vehicle use, vehicle maintenance, lithium-ion battery and state of health. ⁶Cargo and load capacity limited by weight and weight distribution. Cargo capacity based on load floor in the lowest position. ⁷Your battery is covered for 8 years or 100,000 miles, whichever comes first, retaining a minimum of 70% of its original capacity over that period.



	Select	Premium	California Route 1	GT and GT Performance Edition	Premium Ice White Appearance Package
EXTERIOR DIMENSIONS (inches unless otherwise noted)					
Wheelbase	117.5	117.5	117.5	117.5	—
Overall length	185.6	185.6	185.6	186.7	—
Overall width	74.1	74.1	74.1	74.1	—
Overall height	64	64	63.5	63.5	—
Track width, front	63.5	63.5	63.5	63.5	—
Track width, rear	63.4	63.4	63.4	63.4	—
Ride height	5.8	5.8	5.8	GT: 5.2 GTPE: 5.1	—
Turn circle	38.1 ft.	38.1 ft.	38.1 ft.	39.7 ft.	—
Curb weight: Standard Range RWD	4,318 lbs.	4,318 lbs.	—	GT: 4,962 lbs. GTPE: 4,989 lbs.	—
Curb weight: Standard Range AWD	4,498 lbs.	4,498 lbs.	—	—	—
Curb weight: Extended Range RWD	—	4,647 lbs.	4,647 lbs.	—	—
Curb weight: Extended Range AWD	—	4,838 lbs.	—	—	—

INTERIOR DIMENSIONS
(inches unless otherwise noted)

Front headroom	38.9	38.9	38.9	GT base 38.9 GTPE 40.4	—
Front headroom with fixed glass panoramic roof	—	40.4	40.4	GT 38.9 GTPE 40.4	—
Rear headroom	38.2	39.3	39.3	GT base is 38.2 GTPE is 39.3	—
Rear headroom with fixed glass panoramic roof	—	39.3	39.3	39.3	—
Front legroom	43.3	43.3	43.3	43.3	—
Rear legroom	38.1	38.1	38.1	38.1	—
Front shoulder room	57.6	57.6	57.6	57.6	—
Rear shoulder room	55.9	55.9	55.9	55.9	—
Front hip room	55.4	55.4	55.4	55.4	—
Rear hip room	53.2	53.2	53.2	53.2	—
Cargo behind rear seat	29.7 cu. ft.	29.7 cu. ft.	29.7 cu. ft.	29.7 cu. ft.	—
Cargo behind first row	59.7 cu. ft.	59.7 cu. ft.	59.7 cu. ft.	GT: 59.7 cu. ft. GTPE: 59.5 cu. ft.	—
Frunk volume	4.7 cu. ft.	4.7 cu. ft.	4.7 cu. ft.	4.7 cu. ft.	—

