

2015 FORD EXPEDITION TECHNICAL SPECIFICATIONS

BODY		
Construction	Steel body on fully boxed frame	
Final assembly location	Kentucky Truck Plant, Louisville, Kentucky	
POWERTRAIN AND CHASSIS		
	Expedition	Expedition EL
ENGINE		
Type	3.5-liter twin-turbocharged EcoBoost® V6	
Valvetrain	Four valves per cylinder, twin independent variable camshaft timing	
Horsepower	365 @ 5,000 rpm	
Torque	420 lb.-ft. @ 2,500 rpm	
Fuel	87-octane unleaded	
Fuel capacity	28.0 gallons	33.5 gallons
Fuel delivery	Gasoline direct injection	
DRIVETRAIN		
Layout	Rear- or four-wheel drive	

TRANSMISSION	
Standard	Six-speed SelectShift® Automatic

REAR AXLE RATIO		
Standard	3.15	3.31
Optional	3.73	

STEERING	
Type	Rack-and-pinion, electric power-assisted steering
Steering column	Manual tilt/telescoping (standard); power tilt/telescoping (available)

BRAKES	
Type	Four-wheel power disc brakes with anti-lock braking system and AdvanceTrac® with Roll Stability Control™

DIMENSIONS (inches unless otherwise noted)		
EXTERIOR	Expedition 4x2/4x4	Expedition EL 4x2/4x4
Wheelbase	119.0	131.0
Length	206.0	220.8
Width (including mirrors)	91.8	91.8
Width (excluding mirrors)	78.8	78.8
Width (mirrors folded)	79.7	79.7
Height (with options)	77.2	77.7
Track width, front/rear	67.0/67.2	67.0/67.2
Minimum running ground clearance	8.3/8	8.3/8
Approach angle	22.4 degrees/22.2 degrees	22.5 degrees/22.5 degrees
Departure angle	21.8 degrees/21.7 degrees	20.4 degrees/20.3 degrees
Ramp breakover angle	18 degrees/16.3 degrees	15.8 degrees/15.3 degrees
INTERIOR		
Headroom		
Front row	39.6	39.5
Second row	39.8	39.7

2015 FORD EXPEDITION TECHNICAL SPECIFICATIONS

Third row	38.3	38.0
Legroom		
Front row	43	43
Second row	39.1	39.1
Third row	37.7	37.7
Shoulder room		
Front row	63.2	63.2
Second row	63.7	63.7
Third row	51.9	67.1
Hip room		
Front row	59.3	59.3
Second row	59.9	59.9
Third row	50.2	51.8
WEIGHTS AND CAPACITIES (pounds unless otherwise noted)		
Cargo volume		
Behind first row	108.3 cu. ft.	130.8 cu. ft.
Behind second row	55.0 cu. ft.	85.5 cu. ft.
Behind third row	18.6 cu. ft.	42.6 cu. ft.
MAXIMUM TOWING CAPACITY (when properly equipped)		
4x2	9,200 lbs.	9,000 lbs.
4x4	9,200 lbs.	9,100 lbs.

Specifications subject to change.

2015 FORD EXPEDITION TECHNICAL SPECIFICATIONS

Specifications subject to change.

